


Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82	2732223	FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
Product name:	Rabbit anti-Ataxin 3 Antibody			
Catalog:	DL96705A			
Synonyms:	ATX3; MJD; MJD1; SCA3; Ataxin-3;			
	Machado-Joseph disease protein 1; Spinocerebellar			
	ataxia type 3 pro	otein		
Immunogen:	Recombinant full length protein of human Ataxin 3			
minunogen.	Recombinant fu	n lengti pro		
Form: Liquid		Concentr	ation: 1mg/mL	
I			8	
Size: 100 ul/50 ul		Host: Rabbit		
Reactivity: Human, Mouse, Rat		Applicati	on: WB, IF/IC	
Clonality: Polyclonal		Dilution: WB (1/500 - 1/2000),		
		IF/IC (1/5	0 - 1/200)	



Entrez Gene:	4287/110616/60331
SwissProt:	P54252/Q9CVD2/O35815
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of Ataxin 3 expression in Jurkat (A), A549 (B), mouse brain (C), mouse liver (D) whole cell lysates.




IF/ICC description:

Immunofluorescent analysis of Ataxin 3 staining in Jurkat cells.



Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary anti



Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

