

## Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

**Product name:** Rabbit anti-CCAR1 Antibody

Catalog: DL96728A

**Synonyms:** CARP1; DIS; Cell division cycle and apoptosis

regulator protein 1; Cell cycle and apoptosis

regulatory protein 1; CARP-1; Death inducer with

SAP domain

Immunogen: Recombinant full length protein of human CCAR1

Form: Liquid Concentration: 1mg/mL

Size: 100 ul/50 ul Host: Rabbit

Reactivity: Human, Mouse, Rat Application: WB, IF/IC

Clonality: Polyclonal Dilution: WB (1/500 - 1/2000),



#### IF/IC (1/10 - 1/100)

**Entrez Gene:** 55749/67500

Q8IX12/Q8CH18 SwissProt:

The antibody was purified by immunogen affinity **Purification:** 

chromatography.


**Buffer:** Liquid in 0.42% Potassium phosphate, 0.87%

Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

## **WB** description:


Western blot analysis of CCAR1 expression in Jurkat (A), HepG2 (B), A549 (C), A431 (D) whole cell lysates.



# **IF/ICC description:**



Immunofluorescent analysis of CCAR1 staining in HepG2 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody



## **Storage:**

Store at -20°C. Avoid repeated freeze / thaw cycles.