

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223		FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>				
Product name: Catalog:	Rabbit anti-FKI DL96826A	3P8 Antiboo	ły	
Synonyms:	FKBP38; Peptidyl-prolyl cis-trans isomerase FKBP8; PPIase FKBP8; 38 kDa FK506-binding protein; 38 kDa FKBP; FKBP-38; hFKBP38; FK506-binding protein 8; FKBP-8; FKBPR38; Rotamase			
Immunogen:	Recombinant full length protein of human FKBP8			
Form: Liquid		Concentra	ation: 1mg/mL	
Size: 100 ul/50 ul		Host: Rab	bit	
Reactivity: Human, Mouse, Rat		Application	on: WB, IF/IC	



**Clonality:** Polyclonal


**Dilution:** WB (1/500 - 1/2000), IF/IC (1/50 - 1/100)

Entrez Gene:	23770/14232/290652
SwissProt:	Q14318/O35465/Q3B7U9
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

## **WB description:**


Western blot analysis of FKBP8 expression in Jurkat (A), THP1 (B), mouse liver (C), mouse eye (D), rat brain (E) whole cell lysates.

## **DEVELOP**



## **IF/ICC description:**

Immunofluorescent analysis of FKBP8 staining in A549 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody



## Storage:



Store at -20°C. Avoid repeated freeze / thaw cycles.

