

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82	2732223	FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
Product name:	Rabbit anti-VE	GFR3 Antib	odv	
Catalog:	DL96827A	-	5	
8				
Synonyms:	VEGFR3; Vascular endothelial growth factor			
	receptor 3; VEC	GFR-3; Fms	-like tyrosine kinase 4;	
	FLT-4; Tyrosin	e-protein ki	nase receptor FLT4	
Immunogen:	KLH-conjugated synthetic peptide of human			
	VEGFR3			
F. T. 11		C	· 1 / T	
Form: Liquid		Concentr	ation: 1mg/mL	
Size: 100 ul/50 ul		Host: Rabbit		
Reactivity: Human		Application: WB, IHC		
Clonality: Polyclonal		Dilution:	WB (1/500 - 1/1000),	




IHC (1/50 - 1/200)

Entrez Gene:	2324
SwissProt:	P35916
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of VEGFR3 expression in HUVEC (A) whole cell lysates.



IHC description:



Immunohistochemical analysis of VEGFR3 staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

