

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District Wuxi Jiangsu Province, China TELE: 86-510-82732223 FAX: 86-510-82720101-8014		
Wuxi Jiangsu Province, China		
TELE: 86-510-82732223 FAX: 86-510-82720101-8014		
TELE: 86-510-82732223 FAX: 86-510-82720101-8014		
Web : <u>www.dldevelop.com</u>		
Email: info@dldevelop.com.cn service@dldevelop.com.cn		
Product name: Rabbit anti-GADD45 alpha Antibody		
Catalog: DL96833A		
Synonyms: DDIT1; GADD45; Growth arrest and DNA		
damage-inducible protein GADD45 alpha; DNA		
damage-inducible transcript 1 protein; DDIT-1		
Immunogen: Recombinant full length protein of human GADD45		
alpha		
Form: Liquid Concentration: 1mg/mL		
Concentration. Imp inc		
Size: 100 ul/50 ul Host: Rabbit		
Reactivity: Human, Mouse, Rat Application: WB, IF/IC		
Clonality: Polyclonal Dilution: WB (1/500 - 1/2000),		




IF/IC (1/10 - 1/100)

Entrez Gene:	1647/13197
SwissProt:	P24522/P48316/P48317
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:


Western blot analysis of GADD45 alpha expression in mouse liver (A), mouse kidney (B) whole cell lysates.



IF/ICC description:



Immunofluorescent analysis of GADD45 alpha staining in A549 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary an



Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

