

## Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

**Web**: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

**Product name:** Rabbit anti-Connexin 40 Antibody

Catalog: DL96838A

**Synonyms:** Gap junction alpha-5 protein; Connexin-40; Cx40

**Immunogen:** Recombinant full length protein of human Connexin

40

Form: Liquid Concentration: 1mg/mL

Size: 100 ul/50 ul Host: Rabbit

Reactivity: Human Application: WB, IF/IC

Clonality: Polyclonal Dilution: WB (1/500 - 1/2000),

IF/IC (1/50 - 1/200)



Entrez Gene: 2702

P36382 SwissProt:

The antibody was purified by immunogen affinity **Purification:** 

chromatography.


**Buffer:** Liquid in 0.42% Potassium phosphate, 0.87%

Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

## **WB** description:

Western blot analysis of Connexin 40 expression in HepG2 (A), mouse heart (B), rat heart (C) whole cell lysates.




## **IF/ICC description:**

Immunofluorescent analysis of Connexin 40 staining in HepG2 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100



in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary an



## **Storage:**

Store at -20°C. Avoid repeated freeze / thaw cycles.