

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>

Product name: Rabbit anti-GNA13 Antibody

Catalog: DL96841A

Synonyms: Guanine nucleotide-binding protein subunit

alpha-13; G alpha-13; G-protein subunit alpha-13

Immunogen: Recombinant full length protein of human GNA13

Form: Liquid Concentration: 1mg/mL

Size: 100 ul/50 ul Host: Rabbit

Reactivity: Human, Mouse, Rat Application: WB, IHC

Clonality: Polyclonal Dilution: WB (1/500 - 1/2000),

IHC (1/50 - 1/200)



Entrez Gene: 10672/14674/303634

O14344/P27601/O6O7Y5 SwissProt:

Purification: The antibody was purified by immunogen affinity

chromatography.


Buffer: Liquid in 0.42% Potassium phosphate, 0.87%

Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

WB description:

Western blot analysis of GNA13 expression in BT474 (A), THP1 (B), mouse lung (C), mouse spleen (D) whole cell lysates.



IHC description:

Immunohistochemical analysis of GNA13 staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was



pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.