

Manufacturer/Supplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-82732223		FAX: 86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>			
Email: info@dldevelop.com.cn service@dldevelop.com.cn			
Product name:	Rabbit anti-IFI44 Antibody		
Catalog:	DL96881A		
Synonyms:	MTAP44; Inte	erferon-induced protein 44; p44;	
	Microtubule-a	ssociated protein 44	
Immunogen:	Recombinant full length protein of human IFI44		
T. T. 1			
Form: Liquid		Concentration: 1mg/mL	
Size: 100 ul/50 ul		Host: Rabbit	
Size. 100 ul/30 ul		Host. Rabbit	
Reactivity: Human, Mouse, Rat		Application: WB, IHC	
Reactivity, Human, Wouse, Rat		Application: WD, IIIC	
Clonality: Polyclonal		Dilution: WB (1/500 - 1/2000),	
<i>. . .</i>		IHC (1/100 - 1/200)	

DEVELOP

Entrez Gene:	10561/99899
SwissProt:	Q8TCB0/Q8BV66
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of IFI44 expression in Hela (A), mouse kidney (B), rat kidney (C) whole cell lysates.



IHC description:

Immunohistochemical analysis of IFI44 staining in human colon cancer formalin fixed paraffin embedded tissue section. The section was



pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

