


Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223		FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
Product name: Catalog:	Rabbit anti-IGF DL96887A	BP4 Antibo	ody	
Synonyms:	IBP4; Insulin-like growth factor-binding protein 4; IBP-4; IGF-binding protein 4; IGFBP-4			
Immunogen:	Recombinant full length protein of human IGFBP4			
Form: Liquid		Concentr	ation: 1mg/mL	
Size: 100 ul/50 ul		Host: Rabbit		
Reactivity: Human, Mouse, Rat		Application: WB, IHC		
Clonality: Polyclonal		Dilution: WB (1/500 - 1/2000), IHC (1/50 - 1/200)		

DEVELOP

Entrez Gene:	3487/16010/360622
SwissProt:	P22692/P47879/P21744
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of IGFBP4 expression in BT474 (A), 22RV1 (B) whole cell lysates.



IHC description:

Immunohistochemical analysis of IGFBP4 staining in human liver cancer formalin fixed paraffin embedded tissue section. The section was



pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

