

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223		FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>				
Product name: Catalog:	Rabbit anti-MIC DL96942A	CA Antibod	y	
Synonyms:	PERB11.1; MHC class I polypeptide-related sequence A; MIC-A			
Immunogen:	Recombinant full length protein of human MICA			
Form: Liquid		Concentra	ation: 1mg/mL	
Size: 100 ul/50 ul		Host: Rabbit		
Reactivity: Human		Application: WB, IHC		
Clonality: Polyclonal		Dilution: WB (1/500 - 1/1000), IHC (1/50 - 1/200)		


DEVELOP

Entrez Gene:	100507436
SwissProt:	Q29983
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of MICA expression in MCF7 (A), SW480

```
(B), Hela (C), mouse ovary (D), rat kidney (E) whole cell lysates.
```



IHC description:

Immunohistochemical analysis of MICA staining in human stomach formalin fixed paraffin embedded tissue section. The section



was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

