

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223 FAX: 86-510-82720101-8014				
Web : <u>www.dldevelop.com</u>				
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>				
Product name:	Rabbit anti-NDUFV1 Antibody			
Catalog:	DL96968A			
Synonyms:	UQOR1; NADH dehydrogenase [ubiquinone]			
	flavoprotein 1, mitochondrial; Complex I-51kD;			
	CI-51kD; NADI	H dehydrog	enase flavoprotein 1;	
	NADH-ubiquino	one oxidore	ductase 51 kDa subunit	
Immunogen:	Recombinant full length protein of human NDUFV1			
Form: Liquid		Concentration: 1mg/mL		
Size: 100 ul/50 ul		Host: Rab	bit	
Reactivity: Human, Mouse, Rat Application: WB, IF/IC			WD IE/IC	
Reactivity: Human, Mouse, Rat		Application	DII: WB, IF/IC	
Clonality: Polyclonal		Dilution	WB (1/500 - 1/2000),	
Cionanty. 1 Orycionai		Diminoll.	(1/300 - 1/2000),	

www.dldevelop.com




IF/IC (1/50 - 1/100)

Entrez Gene:	4723/17995
SwissProt:	P49821/Q91YT0
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:


Western blot analysis of NDUFV1 expression in mouse kidney (A), rat brain (B) whole cell lysates.



IF/ICC description:



Immunofluorescent analysis of NDUFV1 staining in A549 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody



Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

