


Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82	2732223	FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>				
Product name:	Rabbit anti-TLX Antibody			
Catalog:	DL96979A			
Synonyms:	TLX; Nuclear receptor subfamily 2 group E			
	member 1; Nuc	lear recepto	r TLX; Protein tailless	
	homolog; Tll; h	T11		
Immunogen:	Recombinant full length protein of human TLX			
Form: Liquid		Concentr	ation: 1mg/mL	
~				
Size: 100 ul/50 ul		Host: Rabbit		
Reactivity: Human, Mouse, Rat Application: WB, IF/IC				
Reactivity: Human, Mouse, Rat		Applicati	on: WB, IF/IC	
Clanality: Polyalanal		Dilution	WB (1/500 - 1/2000),	
Clonality: Polyclonal		IF/IC (1/1	× ,,,	
		IF/IC (1/1	0 - 1/100)	

DEVELOP.

Entrez Gene:	7101/21907
SwissProt:	Q9Y466/Q64104
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of TLX expression in HepG2 (A), Jurkat (B), mouse liver (C) whole cell lysates.




IF/ICC description:

Immunofluorescent analysis of TLX staining in HepG2 cells.



Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody i



Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

