


Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223		FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
FFFFFF				
Product name:	me: Rabbit anti-Neurotrophin 4 Antibody			
Catalog:	DL96981A			
Catalog.	DL90981A			
C		1. 4.10		
Synonyms:		-	-4; Neurotrophin-5;	
	NT-5; Neutroph	nic factor 4		
Immunogen:	Recombinant full length protein of human			
	Neurotrophin 4			
Form: Liquid		Concentr	ation: 1mg/mL	
Ĩ			0	
Size: 100 ul/50 ul		Host: Rab	bit	
		110.500 11000		
Deastivity: Uumo	n Mouso Pot	Applicati	on: WB, IHC	
Reactivity: Human, Mouse, Rat		Application	on, wb, mc	
Classifier Debularel Diletters WD (1/500 1/2000)				
Clonality: Polyclonal			WB (1/500 - 1/2000),	
		IHC (1/50	- 1/100)	

DEVELOP.

Entrez Gene:	4909/78405/25730
SwissProt:	P34130/Q80VU4/P34131
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of Neurotrophin 4 expression in HepG2 (A), MCF7 (B), mouse brain (C) whole cell lysates.



IHC description:

Immunohistochemical analysis of Neurotrophin 4 staining in



human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

