

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>

Product name: Rabbit anti-U2AF1 Antibody

Catalog: DL97160A

Synonyms: U2AF35; U2AFBP; Splicing factor U2AF 35 kDa

subunit; U2 auxiliary factor 35 kDa subunit; U2 small nuclear RNA auxiliary factor 1; U2 snRNP

auxiliary factor small subunit

Immunogen: Recombinant full length protein of human U2AF1

Form: Liquid Concentration: 1mg/mL

Size: 100 ul/50 ul Host: Rabbit

Reactivity: Human, Mouse, Rat Application: WB, IHC

Clonality: Polyclonal Dilution: WB (1/500 - 1/2000),



IHC (1/50 - 1/200)

Entrez Gene: 108121

O01081/O9D883 SwissProt:

The antibody was purified by immunogen affinity **Purification:**

chromatography.


Buffer: Liquid in 0.42% Potassium phosphate, 0.87%

Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

WB description:

Western blot analysis of U2AF1 expression in A549 (A), MCF7 (B), mouse pancreas (C), rat liver (D) whole cell lysates.



IHC description:



Immunohistochemical analysis of U2AF1 staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.