

## Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

**Web**: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Rabbit anti-p115 Antibody

**Catalog:** DL97172A

VDP; General vesicular transport factor p115; **Synonyms:** 

Protein USO1 homolog; Transcytosis-associated

protein; TAP; Vesicle-docking protein

Immunogen: KLH-conjugated synthetic peptide of human p115

Form: Liquid Concentration: 1mg/mL

**Size:** 100 ul/50 ul Host: Rabbit

Reactivity: Human, Mouse, Rat **Application:** WB, IHC, IP

**Dilution:** WB (1/500 - 1/2000), **Clonality:** Polyclonal

IHC (1/50 - 1/200), IP (1/20 -



1/50)

**Entrez Gene:** 8615/56041/56042

O60763/O9Z1Z0/P41542 SwissProt:

**Purification:** The antibody was purified by immunogen affinity

chromatography.


**Buffer:** Liquid in 0.42% Potassium phosphate, 0.87%

Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

## **WB** description:

Western blot analysis of p115 expression in BT474 (A), K562 (B), A549 (C) whole cell lysates.



**IHC description:** 



Immunohistochemical analysis of p115 staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

## **IP** description:

## **Storage:**

Store at -20°C. Avoid repeated freeze / thaw cycles.