


| Manufacturer/Supplier:   |   |                                       |                      |  |
|--|---|---------------------------------------|----------------------|--|
| WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD                         |   |                                       |                      |  |
| Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District |   |                                       |                      |  |
| Wuxi Jiangsu Province, China                                       |   |                                       |                      |  |
| TELE: 86-510-82732223  |   | FAX:                                  | 86-510-82720101-8014 |  |
| Web : <u>www.dldevelop.com</u>                                     |   |                                       |                      |  |
| Email: info@dldevelop.com.cn service@dldevelop.com.cn              |   |                                       |                      |  |
| Product name:  | Pabbit anti Feti                                  | un A Antib                            | adw.                 |  |
| Catalog:   | Rabbit anti-Fetuin A Antibody<br>DL97609A         |                                       |                      |  |
| Catalog.   | DLITOUTA  |                                       |                      |  |
| Synonyms:  | FETUA; Alpha-2-HS-glycoprotein;                   |                                       |                      |  |
|  | Alpha-2-Z-globulin; Ba-alpha-2-glycoprotein;      |                                       |                      |  |
|  | Fetuin-A  |                                       |                      |  |
| Immunogen:   | Recombinant full length protein of human Fetuin A |                                       |                      |  |
| Form: Liquid   |   | Concentra                             | ation: 1mg/mL        |  |
| <b>Size:</b> 100 ul/50 ul  |   | Host: Rabbit                          |                      |  |
| Reactivity: Human  |   | Application: WB, IF/IC                |                      |  |
| <b>Clonality:</b> Polyclonal                                       |   | <b>Dilution:</b> WB (1/500 - 1/2000), |                      |  |
| <i>.</i>   |   | IF/IC (1/5                            |                      |  |
|  |   | ,                                     | ,                    |  |

## 

| Entrez Gene:  | 197   |
|---------------|---|
| SwissProt:    | P02765  |
| Purification: | The antibody was purified by immunogen affinity chromatography.   |
| Buffer:       | Liquid in 0.42% Potassium phosphate, 0.87%<br>Sodium chloride, pH 7.3, 30% glycerol, and 0.01%<br>sodium azide. |

## WB description:

Western blot analysis of Fetuin A expression in HepG2 (A), A549 (B) whole cell lysates.




## **IF/ICC description:**

Immunofluorescent analysis of Fetuin A staining in MCF7 cells.



Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibo



## **Storage:**

Store at -20°C. Avoid repeated freeze / thaw cycles.

