


Manufacturer/Supplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-82732223		FAX: 86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>			
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>			
Product name:	Rabbit anti-CD45 Antibody		
Catalog:	DL97659A		
Synonyms:	· 1	-type tyrosine-protein phosphatase	
	C; Leukocyte co	ommon antigen; L-CA; T200; CD45	
Immunogen:	KI H-conjugated	d synthetic peptide of human CD45	
minunogen.	KEIT conjugator	a synthetic populae of numuri CD 13	
Form: Liquid		Concentration: 1mg/mL	
-		-	
Size: 100 ul/50 ul		Host: Rabbit	
Reactivity: Human, Mouse, Rat		Application: WB, IHC	
Clonality: Polyclonal		Dilution: WB (1/500 - 1/2000),	
		IHC (1/50 - 1/200)	

DEVELOP

Entrez Gene:	5788/24699
SwissProt:	P08575/P06800/P04157
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of CD45 expression in THP1 (A) whole cell lysates.



IHC description:

Immunohistochemical analysis of CD45 staining in human lung cancer formalin fixed paraffin embedded tissue section. The section was



pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

