

## Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

**Web**: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

**Product name:** Rabbit anti-Histone H3 (MonoMethyl R26)

Antibody

Catalog: DL97750A

**Synonyms:** H3FT; Histone H3.1t; H3/t; H3/g

Immunogen: A synthetic methylated peptide corresponding to

residues surrounding R26 of human Histone H3

(MonoMethyl R26)

Form: Liquid Concentration: 1mg/mL

Size: 100 ul/50 ul Host: Rabbit

Reactivity: Human, Mouse, Rat Application: WB, IF/IC, IP

Clonality: Polyclonal Dilution: WB (1/500 - 1/2000),



IF/IC (1/50 - 1/200), IP (1/50 -1/100)

**Entrez Gene:** 8290

Q16695 SwissProt:

**Purification:** The antibody was purified by immunogen affinity

chromatography.

**Buffer:** Liquid in 0.42% Potassium phosphate, 0.87%


Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

## **WB** description:


Western blot analysis of Histone H3 (MonoMethyl R26) expression in Hela (A) whole cell lysates.





## **IF/ICC description:**

Immunofluorescent analysis of Histone H3 (MonoMethyl R26) staining in HEK293T cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed w



**IP** description:



## **Storage:**

Store at -20°C. Avoid repeated freeze / thaw cycles.