

## Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

**Web**: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Rabbit anti-Tropomodulin-3 Antibody

**Catalog:** DL97898A

Tropomodulin-3; Ubiquitous tropomodulin; **Synonyms:** 

U-Tmod

Immunogen: Recombinant full length protein of human

Tropomodulin-3

Form: Liquid Concentration: 1mg/mL

**Size:** 100 ul/50 ul Host: Rabbit

Reactivity: Human, Mouse, Rat **Application:** WB, IHC

**Clonality:** Polyclonal **Dilution:** WB (1/500 - 1/2000),

IHC (1/50 - 1/200)



Entrez Gene: 29766/50875

Q9NYL9/Q9JHJ0 SwissProt:

The antibody was purified by immunogen affinity Purification:

chromatography.


**Buffer:** Liquid in 0.42% Potassium phosphate, 0.87%

Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

## **WB** description:

Western blot analysis of Tropomodulin-3 expression in A549 (A), Hela (B), Jurkat (C) whole cell lysates.



## **IHC description:**

Immunohistochemical analysis of Tropomodulin-3 staining in



human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

## **Storage:**

Store at -20°C. Avoid repeated freeze / thaw cycles.