

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road, Liangxi District
Wuxi Jiangsu Province, China

TELE: 86-510-82732223

FAX: 86-510-82720101-8014

Web : www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Rabbit anti-AMPK alpha 2 Antibody

Catalog: DL98179A

Synonyms: AMPK; AMPK2; 5'-AMP-activated protein kinase
catalytic subunit alpha-2; AMPK subunit alpha-2;
Acetyl-CoA carboxylase kinase; ACACA kinase;
Hydroxymethylglutaryl-CoA reductase kinase;
HMGCR kinase

Immunogen: Recombinant full length protein of human AMPK
alpha 2

Form: Liquid

Concentration: 1mg/mL

Size: 100 ul/50 ul

Host: Rabbit

Reactivity: Human, Mouse, Rat

Application: WB, IF/IC

Clonality: Polyclonal

Dilution: WB (1/500 - 1/2000),
IF/IC (1/50 - 1/200)

Entrez Gene: 5563/108079/78975


SwissProt: P54646/Q8BRK8/Q09137

Purification: The antibody was purified by immunogen affinity chromatography.

Buffer: Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.


WB description:

Western blot analysis of AMPK alpha 2 expression in SW620 (A), mouse brain (B), rat heart (C) whole cell lysates.



IF/ICC description:

Immunofluorescent analysis of AMPK alpha 2 staining in A549 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary an



Storage:



Store at -20°C. Avoid repeated freeze / thaw cycles.