

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Rabbit anti-PDK3 Antibody

Catalog: DL98263A

Synonyms: PDHK3; [Pyruvate dehydrogenase

(acetyl-transferring)] kinase isozyme 3,

mitochondrial; Pyruvate dehydrogenase kinase

isoform 3

Immunogen: Recombinant full length protein of human PDK3

Form: Liquid Concentration: 1mg/mL

Size: 100 ul/50 ul Host: Rabbit

Reactivity: Human, Mouse, Rat Application: WB, IHC

Clonality: Polyclonal Dilution: WB (1/500 - 1/2000),



IHC (1/50 - 1/200)

Entrez Gene: 5165/236900

O15120/O922H2 SwissProt:

The antibody was purified by immunogen affinity **Purification:**

chromatography.


Buffer: Liquid in 0.42% Potassium phosphate, 0.87%

Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

WB description:

Western blot analysis of PDK3 expression in mouse kidney (A), mouse brain (B), rat brain (C) whole cell lysates.



IHC description:



Immunohistochemical analysis of PDK3 staining in human lung cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.