

## Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

**Web**: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Anti-Mouse CD183/CXCR3 Monoclonal

Antibody(FITC Conjugated)

**Catalog:** DL21402F

**Synonyms:** C-X-C chemokine receptor type

> 3,Cxcr3,CXC-R3,CXCR-3,Interferon-inducible protein 10 receptor, IP-10 receptor, CD183/CXCR3

**Background:** CD183/CXCR3, also known as CXCR3, is a member

> of the C-X-C chemokine family, characterized by a pair of cysteine residues separated by a single amino acid. CXCR3 is a 38 kD seven pass transmembrane receptor coupled to G-protein. It mediates Ca2+ mobilization and chemotaxis in response to C-X-C

chemokines, such as IP10 (CXCL10), MIG

(CXCL9), I-TAC (CXCL11) and PF4 (CXCL4). CXCR3 is expressed primarily on activiated T



lymphocytes, NK cells, and some epithelial cells and endothelial cells. It is not expressed on B cells, monocytes or granulocytes.

Form: Liquid **Isotype:** Armenian Hamster IgG

**Size:** 25µg/100µg **Host:** Armenian Hamster

**Reactivity:** Mouse **Application:** FCM

**Concentration:** 0.5 mg/mL **Conjugation:** FITC

**SwissProt:** O88410

**Buffer:** Phosphate buffered solution, pH 7.2, containing

0.09% stabilizer and 1% protein protectant.

## Recommended Use:

Each lot of this antibody is quality control tested by flow cytometric analysis. Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use. We suggest each investigator should titrate the reagent to obtain optimal results [The recommended concentration is 0.1-1  $\mu g/10^6$  cells in 100  $\mu L$  volume].



## **Storage:**

Keep as concentrated solution.

Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.

This product is guaranteed up to one year from purchase.